
Example authority

EKGF use-case tree: review document

Contents

1 Customer insight . . . 3
1.1 Ownership children . . . 3
1.2 Related resources . . . 3
2 Customer overview . . . 4
2.1 Reused capabilities . . . 4
3 Verify customer . . . 5
3.1 Ownership children . . . 5
3.2 Reused capabilities . . . 5
4 Assess risk . . . 6
5 Check identity . . . 7
5.1 Related resources . . . 7
6 Reference information . . . 8
A Document provenance . . . 9

1 Customer insight



Understand a fictional customer's situation using linked information.

Solid lines show ownership; dashed lines show reuse. The current use case is boxed.

Identifier: `https://example.org/use-cases/CustomerInsight`

Ownership parent: none asserted (an independent root)

Reused in: none asserted


1.1 Ownership children

- Customer overview
- Verify customer

1.2 Related resources

Relationship	Resource and source description
`ekg-use-case:hasStereoType`	**Business Capability Area** — (`https://ekgf.org/ontology/use-case#UseCaseStereoTypeBusinessCapabilityArea`)

2 Customer overview



Present a consolidated customer overview.

Solid lines show ownership; dashed lines show reuse. The current use case is boxed.

Identifier: `https://example.org/use-cases/CustomerOverview`


Ownership parent: Customer insight

Reused in: none asserted

2.1 Reused capabilities

- Reference information

3 Verify customer



Review customer identity and risk evidence.

Solid lines show ownership; dashed lines show reuse. The current use case is boxed.

Identifier: `https://example.org/use-cases/VerifyCustomer`

Ownership parent: Customer insight

Reused in: none asserted


3.1 Ownership children

- Assess risk
- Check identity

3.2 Reused capabilities

- Reference information

4 Assess risk



Assess customer risk using evidence and reference information.


Solid lines show ownership; dashed lines show reuse. The current use case is boxed.

Identifier: `https://example.org/use-cases/AssessRisk`

Ownership parent: Verify customer

Reused in: none asserted

5 Check identity



Check identity evidence before making a review decision.

Solid lines show ownership; dashed lines show reuse. The current use case is boxed.

Identifier: `https://example.org/use-cases/CheckIdentity`

Ownership parent: Verify customer

Reused in: none asserted

5.1 Related resources

Relationship	Resource and source description
`ekg-use-case:hasOutcome`	**Verified identity** — An identity decision supported by evidence. (`https://example.org/use-cases/VerifiedIdentity`)
`ekg-use-case:involvesPersona`	**Review analyst** — The persona reviewing customer evidence. (`https://example.org/use-cases/Analyst`)
`ekg-use-case:usesConcept`	**Customer** — The party being reviewed in this fictional example. (`https://example.org/use-cases/Customer`)

6 Reference information



Provide reusable reference information without being owned by a consuming use case.

Solid lines show ownership; dashed lines show reuse. The current use case is boxed.

Identifier: `https://example.org/use-cases/ReferenceInformation`

Ownership parent: none asserted (an independent root)

Reused in: Customer overview, Verify customer

A Document provenance

This record identifies the generator and source revisions collected for this publication.

Generator	GraphArch 0.2.29 (build 412)
Generator commit	`8908a9610d77`

No Git repository revision was recorded for these sources.